Quality Improvement Program – New Jersey (QIP-NJ)

Measurement Year (MY) 4 Data Submission Best Practices and FAQs May 29, 2025





Agenda

- QIP-NJ Program Background
- MY4 Data Submission Timeline
- Data Submission General Best Practices
- Published Guidance and Resources
- Appeals Process and Guidance
- Specific Measure FAQs
- Q & A




Program Overview

The New Jersey Department of Health (DOH) developed QIP-NJ, a hospital performance initiative, to support continued population health improvement across New Jersey.

QIP-NJ is being administered by DOH, in partnership with DHS, as a Medicaid pay-for-performance initiative open to all acute care hospitals in the state.



QIP-NJ MY4 Timeline*



*Unless stated otherwise, all boxes pertain to MY4 data Grey box = Interval Purple border = NCB-related Blue border = Claims/MMIS-related



QIP-NJ MY4 - Estimated Timeframes for Hospital Reporting

- MY4 Attribution list(s) released to hospitals: ETA 6/4/2025
- NCB measures submission window: 6/4/2025 8/11/2025
 - NCB (Optional) validation checks due-date to submit validation request: 7/3/2025*
 - NCB measures data submission due date: 8/11/2025 at 5PM EST
- Claims-based (MMIS) measures results available: 8/14/2025
 - Claims-based measures appeals due date: 8/28/2025
- NCB measures Patient-Level Report (PLR) distribution: 9/26/2025
 - NCB measures appeals due date: 10/10/2025

*See next slides for important detail on Validation Reports

Please note:

- Authorized SFTP users should verify their SFTP access/connectivity at least two weeks before submission/review deadlines.
- Specific dates/timeframes are subject to modification. Any date/timeframe changes will be communicated to Hospital Program Leads via QIP-NJ@pcgus.com and the QIP-NJ newsletter.
- Late submissions and submissions that do not match the SRT requirements may be rejected.



Optional: NCB Validation Check



Validation Check of NCB Submissions

- Hospitals may receive a one-time validation check for feedback on opportunities to refine/adjust NCB submissions.
- Validation Checks for:
 - ProviderIDs or MemberIDs that are improperly formatted, truncated, or unreadable
 - Missing Measures:
 - 12 measures for BH Measurement set
 - 10 measure for MH Measurement set
 - Duplicate submissions across multiple files, for example, if a hospital submits multiple SRT files, but e given measure (e.g. M003) appears in multiple files, the submission will have to be corrected.
 - Field-level validation for accepted values



Validation Check of NCB Submissions, cont'd.

Validation Report Timeline (est.):

- Validation Reports will be batch-processed in approx. 1-week
- Sample data will be ingested on Mondays, so hospitals should submit data by the preceding Friday in order to expect validation report results by the following Friday
- IMPORTANT: Hospitals must notify QIP-NJ@pcgus.com if a validation request has been submitted.



Attribution Roster

- The Attribution Roster (AR) is <u>retrospective</u>. The AR is not measure-specific; hospitals need to apply the measure-specific exclusions/criteria as indicated in the Databook and SRT Guidance
 - NOTE: Members submitted must match the MemberID and Names as they appear on the Attribution Roster
 - When submitting the SRT, only report members for the measures to which they pertain
 - All SRT submissions must match the SRT submission template and formatting
- Hospitals will be ineligible to receive funding under the BH or maternal health portion of QIP-NJ if the
 hospital does not have a sufficient number of patients to satisfy the denominator requirements of at least one
 measure in the measure set.
 - For maternal health, the denominator requirement during a measurement period is 30 attributed births.
 - For **behavioral health**, hospitals must have a minimum of 30 individuals attributed to meet the requirements of at least one measure's denominator.
- MMCOs: AmeriGroup = Wellpoint; Fidelis = Wellcare; Aetna; Horizon NJ Health; UnitedHealthcare NJ
- Maternal Health Program Policy Reminder (from MY2): If an individual gives birth twice during one
 measurement year, at different hospitals, QIP-NJ will attribute the individual twice, once at each birthing
 hospital.



Best Practices for Submitting MY4 NCB-Data

- Use SRT v4 and SRT Guidance document v4
- Follow directions in the SRT "Requirement Notes" tab
- Preferred file format: Flat-file
- Use a consistent naming convention for the submission file per the SRT "Requirement Notes" tab
 - If sending one consolidated workbook: MY4_Medicaid_ID_S;
 - For example: MY4_3676803_S
 - If sending multiple workbooks MY2_Medicaid_ID_Ex;
 - For example: MY4_3676803_E1, MY4_3676803_E2, MY4_3676803_E3, etc.
- For all measures, use the date format: MM/DD/YYYY
- Do not add/remove columns to the SRT
- MemberIDs should be formatted as text, not numbers.
- NOTE: Members submitted must match the MemberID and Names as they appear on the Attribution Roster
- If sampling for a measure, report only the sample.
 - We strongly recommend sampling at least 10 more records than required per the sampling instructions in the Databook in case some records are excluded/non-compliant



Key Resources for MY4 Reporting



Key Resources for MY4 Reporting

- The QIP-NJ website https://qip-nj.nj.gov/ is the central location for all information related to the program.
- Under Documents & Resources:
 - QIP-NJ Databook v4.1: Measure specifications for MY4 see Change Log
 - Value Set Compendium (VSC) v4.1: Codeset for MY4 see Change Log Tab
- Under Participants & Stakeholders:
 - Standard Reporting Template (SRT) Guidance Document v4 (PDF): NCB measure reporting instructions
 see Change Log
 - SRT v4 (XLS): reporting template for all NCB measures, except BH12 and M10
 - SRT **v4** BH12 and M10 (XLS): reporting template for staff training measures BH12 and M10
 - MY4 NCB Measures Appeals Workbook and Guidance (in development: ETA July 2025)
 - MY4 Claims-based Measures Appeals Workbook and Guidance (in development: ETA July 2025)



VSC 4.1 Change Log

Measure(s)	▼ Tab/Sheet Name ▼	Change	□ Description (if available) □	:ode (if available)	Measure Component	Version Effective To
BH02	BH02_Detail_OID	Added Diagnosis Code	Alcohol abuse counseling and surveillance of alcoholic	Z71.41	Denominator	v4
BH02	BH02_Detail_OID	Added Diagnosis Code	Drug abuse counseling and surveillance of drug abuser	Z71.51	Denominator	v4
BH02	BH02_DetailOID	Added Diagnosis Code	Prolonged grief disorder	F43.81	Denominator	v4
BH02	BH02_DetailOID	Added Diagnosis Code	Other reactions to severe stress	F43.89	Denominator	v4
BH03	BH03_Detail_OID	Added Diagnosis Code	Alcohol abuse counseling and surveillance of alcoholic	Z71.41	Denominator	v4
BH03	BH03_Detail_OID	Added Diagnosis Code	Drug abuse counseling and surveillance of drug abuser	Z71.51	Denominator	v4
BH05	BH0506M05_IET_DetailOID	Added Diagnosis Code	Alcohol abuse counseling and surveillance of alcoholic	Z71.41	Denominator	v4
BH05	BH0506M05_IET_DetailOID	Added Diagnosis Code	Drug abuse counseling and surveillance of drug abuser	Z71.51	Denominator	v4
BH05	BH0506M05_Opioid_OID_Li	Added Medication	Injection, buprenorphine extended-release (brixadi), less than or equal to 7 days of therapy	J0577	Numerator	v4
BH05	BH0506M05_Opioid_OID_Li	Added Medication	Injection, buprenorphine extended release (brixadi), greater than 7 days and up to 28 days of	J0578	Numerator	v4
BH06	BH0506M05_IET_DetailOID	Added Diagnosis Code	Alcohol abuse counseling and surveillance of alcoholic	Z71.41	Denominator	v4
BH06	BH0506M05_IET_DetailOID	Added Diagnosis Code	Drug abuse counseling and surveillance of drug abuser	Z71.51	Denominator	v4
BH06	BH0506M05_Opioid_OID_Li	Added Medication	Injection, buprenorphine extended-release (brixadi), less than or equal to 7 days of therapy	J0577	Numerator	v4
BH06	BH0506M05_Opioid_OID_Li	Added Medication	Injection, buprenorphine extended release (brixadi), greater than 7 days and up to 28 days of	J0578	Numerator	v4
BH07	BH07_02a	Added Exclusion	Schizoaffective disorder, bipolar type	F25	Denominator Exclusion	v4
BH07	BH07_02a	Added Exclusion	Schizoaff, dep type	F25.1	Denominator Exclusion	v4
BH07	BH07_02a	Added Exclusion	Oth schizoaff	F25.8	Denominator Exclusion	v4
BH07	BH07_02a	Added Exclusion	Oth schizoaff, unspecifified	F25.9	Denominator Exclusion	v4
BH08	BH08_00	Added Tool	NJ Perinatal Risk Assessment	88888-8	Numerator	v4
BH09	BH09_00	Added Diagnosis Code	Depression unspecified	F32A	Denominator	v4
M005	BH0506M05_IET_DetailOID	Added Diagnosis Code	Alcohol abuse counseling and surveillance of alcoholic	Z71.41	Denominator	v4
M005	BH0506M05_IET_DetailOID	Added Diagnosis Code	Drug abuse counseling and surveillance of drug abuser	Z71.51	Denominator	v4
M005	BH0506M05_Opioid_OID_Li	Added Medication	Injection, buprenorphine extended-release (brixadi), less than or equal to 7 days of therapy	J0577	Numerator	v4
M005	BH0506M05_Opioid_OID_Li	Added Medication	Injection, buprenorphine extended release (brixadi), greater than 7 days and up to 28 days of	J0578	Numerator	v4
M007	M07_00	All NDC Codes Removed	For reporting simplification, QIP-NJ no longer requires NDC Codes to report numerator-comp	li Various, n=228	Numerator	v4
M007	M07_00	For reporting simplification, drug name added per Databook v3.2	IV Labetalol		Numerator	v4
M007	M07_00	For reporting simplification, drug name added per Databook v3.2	IV Hydralazine		Numerator	v4
M007	M07_00	For reporting simplification, drug name added per Databook v3.2	Immediate-release oral Nifedipine		Numerator	v4
BH07	BH07_03	Added LOINC for PHQ-4	Patient Health Questionnaire (PHQ-4)	70272-0	Numerator	v4.1
BH07	BH07 03	Added LOINC for PHQ-4	Patient Health Questionnaire (PHQ-4)	69724-3	Numerator	v4.1

- 1. Note entries in the SRT and Databook that reference the VSC's Change Log
- 2. Go to VSC Change Log to see the specific changes noted
- 3. The Change Log is cumulative. VSC v4.1 indicates changes that were made to V4.



Appeals Process

- DOH will calculate individual hospital performance results and hospitals will have an opportunity to review results and submit appeals and appropriate supporting documentation within the Appeals Window.
 - Please note: EMR/EHS Screenshots cannot be used as substantiating documentation for MMIS-based measures.
- Appeals documentation <u>must include a supporting updated SRT</u>; if a user-error is identified in the SRT submission, the SRT must be re-submitted within the Appeal Window for the appeal to be adjudicated.
- Only computational and systemic reporting errors may be appealed.
- If submitting an appeal for either MMIS- or NCB-based measures, hospitals must notify QIP-NJ@pcgus.com that an appeal has been submitted on the SFTP. The team will reply to the email to confirm receipt.



Highlighted Measure Updates to NCB Measures



MY4 Behavioral Health Measures

Measure #	Measure Type	Measure Name and NQF #	Payment Method
BH1	MMIS (Claims)	30 Day All-Cause Unplanned Readmission Following Psychiatric Inpatient Hospitalization, Based on NQF #2860	P4P
BH2	MMIS (Claims)	Follow-Up After Hospitalization for Mental Illness – 30-Days Post-Discharge, Based on NQF #0576	P4P
внз	MMIS (Claims)	Follow-Up After ED Visit for Alcohol and Other Drug Abuse or Dependence (30 day), Based on NQF #3488	P4P
BH4	MMIS (Claims)	Follow-Up After ED Visit for Mental Illness (30 day), Based on NQF #3489	P4P
BH5	MMIS (Claims)	Initiation of Alcohol and Other Drug Abuse or Dependence Treatment, Based on NQF #0004	P4P
BH6	MMIS (Claims)	Engagement in Alcohol and Other Drug Abuse or Dependence Treatment, Based on NQF #0004	P4P
ВН7	Chart/EHR (Non-claims based)	Preventative Care and Screening: Screening for Depression and Follow-Up Plan, Based on NQF #0418	P4P
BH8	Chart/EHR (Non-claims based)	Substance Use Screening and Intervention Composite, Based on NQF #2597	P4P
ВН9	Chart/EHR (Non-claims based)	Timely Transmission of Transition Record (BH), Based on NQF #0648	P4P
BH10	Instrument (Non-claims based)	3-Item Care Transitions Measure, Based on NQF #0228	N/A
BH11	Instrument (Non-claims based)	Use of a Standardized Screening Tool for Social Determinants of Health (4 Domains)	N/A
BH12	Instrument (Non-claims based)_	Reducing Disparities and Improving Patient Experience Through Targeted Training	N/A



BH07: Preventative Care and Screening for Depression and Follow-Up Plan (PDS)

 Four denominator exclusions have been added to Table BH07_02a: Codes for Exclusionary Diagnoses in VSC v4.1.

Code Type $ extstyle exts$	Code Listing	Code Description
ICD-CM-10	F25	Schizoaffective disorder, bipolar type
ICD-CM-10	F25.1	Schizoaff, dep type
ICD-CM-10	F25.8	Oth schizoaff
ICD-CM-10	F25.9	Oth schizoaff, unspecified

 Two numerator-compliant LOINC codes for PHQ-4 have been added to Table BH07 03: LOINC Codes for Validated Screen Tools in VSC v4.1.

LOINC	LOINC Description	С	D	Е			
70272-0	Patient Health Questionnaire (PHQ-4)						
69724-3	Patient Health Questionnaire (PHQ-4)						
Note: If LOINC is not captured in the EHR, the Standard Reporting Template has lookup options for the tool name							



BH07: Preventative Care and Screening for Depression and Follow-Up Plan (PDS)

- Updated scoring guidance for EPDS follow-up trigger score to 13 in SRT Guidance Document v4:
- A score of 13 is now considered "a more serious indicator," whereas a score of 10 typically signals possible depression and the need for further evaluation.
- For Reporting: QIP-NJ will use a score of 13 to determine a positive screen for numerator compliance.
- For Internal QI: Hospitals may choose to use a trigger score of 10 internally for a more conservative or sensitive approach to referrals and care delivery.



BH08: Substance Use Screening and Intervention Composite

- Added the NJ Perinatal Risk Assessment (PRA) as an approved inclusive screening tool for obstetric patients.
 - The new tool can be found in the SRT Guidance Document v4 under INCL_T

05	PRA (for obstetric	00-10	If patient screens negative, report '00'; If patient screens positive for any	≥01	İ
US	patients only)	00-10	substance, report '01'	201	

 The PRA has also been added to Table BH08 Value Set: Health Visits & Screening Tools & SBIRT in VSC v4.1.

Value Set Name	✓ Value Set OID	
NJ Perinatal Risk Assessment (PRA)	N/A	N/A



BH09: Timely Transmission of Transition Record (Behavioral Health)

One denominator-compliant diagnosis code has been added to Table BH09_00:
 Codes to Identify a Behavioral Health Diagnosis in VSC v4.1.

MULTI CCS LVL 2	MULTI CCS LVL 2 LABEL	ICD-10-CM CODI ~	ICD-10-CM CODE DESCRIPTION	1
	misochanicous mentar alsoraers for		other symptoms and signs involving emotional state	
		F32A	Depression Unspecified	J



BH11/M009:

- Q: When do screenings (re: numerator) have to occur to be numerator-compliant?
- A: Screenings have to occur during MY4, i.e. 1/1/2024 12/31/2024.
 Please note, however, that for maternal health patients, the screening window extends back into the preceding measurement year.



MY4 Maternal Health Measures

Measure #	Measure Type	Measure Name and NQF #	Payment Method
M1	MMIS (Claims)	Severe Maternal Morbidity	P4P
M2	Chart/EHR (Non- claims based)	PC-02 Cesarean Birth, Based on NQF #0471	P4P
M3	Chart/EHR (Non- claims based)	Maternal Depression Screening, Based on NQF #1401	P4P
M4	MMIS (Claims)	Postpartum Care, Based on NQF #1517	P4P
M5	MMIS (Claims)	Treatment of SUD in Pregnant Women (Initiation of Alcohol and Other Drug Treatment), Based on NQF #0004	P4P
M6	Chart/EHR (Non- claims-based)	Timely Transmission of the Transition Record (Maternal Health), Based on NQF #0648	P4P
M7	Chart/EHR (Non- claims-based)	Treatment of Severe Hypertension	P4P
M8	Instrument (Non-claims-based)	3-Item Care Transitions Measure, Based on NQF #0228	N/A
M9	Instrument (Non-claims-based)	Use of a Standardized Screening Tool for Social Determinants of Health (5 Domains)	N/A
M10	Instrument (Non-claims based)_	Reducing Disparities and Improving Patient Experience Through Targeted Training	N/A



M006: Timely Transmission of Transition Record (Maternal Health)

- RES_VAL and CODE_VAL clarification
 - The first of the three denominator-compliant rows for transition of care should include the following:
 - An individual's birth-related diagnosis/procedure will be documented as RES_VAL = I, AND CODE_VAL equals an appropriate ICD-10-CM code; OR
 - RES_VAL = J, AND CODE_VAL equals an appropriate ICD-10-PCS code; OR
 - RES_VAL = C, AND CODE_VAL equals an appropriate CPT code.
- Refer to diagnosis codes in VSC table M06_00 or procedure codes in VSC table M03_Deliveries.





Thank you for your participation!



